Condition

Heart Attack Patients Given Aspirin at Arrival

Heart Attack Patients Given Aspirin at Discharge

Heart Attack Patients Given ACE Inhibitor or ARB for Left Ventricular Systolic Dysfunction (LVSD)

Heart Attack Patients Given Smoking Cessation Advice/Counseling

Heart Attack Patients Given Beta Blocker at Discharge

Heart Attack Patients Given Fibrinolytic Medication Within 30 Minutes Of Arrival

Heart Attack Patients Given PCI Within 90 Minutes Of Arrival

Pneumonia Patients Assessed and Given Pneumococcal Vaccination

Pneumonia Patients Whose Initial Emergency Room Blood Culture Was Performed Prior To The Administration Of The First Hospital Dose Of Antibiotics

Pneumonia Patients Given Smoking Cessation Advice/Counseling


Pneumonia Patients Given Initial Antibiotic(s) within 6 Hours After Arrival

Pneumonia Patients Given the Most Appropriate Initial Antibiotic(s)

Page 1 of 12 05/30/2011

Category	Measure Name
Heart Attack or Chest Pain	National Average of Hospitals submitting data:
Heart Attack or Chest Pain	National Average of Hospitals submitting data:
Heart Attack or Chest Pain	National Average of Hospitals submitting data:
Heart Attack or Chest Pain	National Average of Hospitals submitting data:
Heart Attack or Chest Pain	National Average of Hospitals submitting data:
Heart Attack or Chest Pain	National Average of Hospitals submitting data:
Heart Attack or Chest Pain	National Average of Hospitals submitting data:
Pneumonia	National Average of Hospitals submitting data:
Pneumonia	National Average of Hospitals submitting data:
Pneumonia	National Average of Hospitals submitting data:
Pneumonia	National Average of Hospitals submitting data:
Pneumonia	National Average of Hospitals

Page 2 of 12 05/30/2011



Page 3 of 12 05/30/2011

Process of Care National Averages

Based on Hospital Process of Care Measures - National Average

Pneumonia Patients Assessed and Given Influenza Vaccination

Heart Failure Patients Given Discharge Instructions

Heart Failure Patients Given an Evaluation of Left Ventricular Systolic (LVS) Function

Heart Failure Patients Given ACE Inhibitor or ARB for Left Ventricular Systolic Dysfunction (LVSD)

Heart Failure Patients Given Smoking Cessation Advice/Counseling

Average number of minutes before outpatients with chest pain or possible heart attack who needed specialized care were transferred to another hospital (a lower number of minutes is better)

Average number of minutes before outpatients with chest pain or possible heart attack got an ECG (a lower number of minutes is better)

Outpatients with chest pain or possible heart attack who got drugs to break up blood clots within 30 minutes of arrival (higher numbers are better)

Outpatients with chest pain or possible heart attack who got aspirin within 24 hours of arrival (higher numbers are better)

Median Time to Fibrinolysis

Heart Attack Patients Given Aspirin at Arrival

Heart Attack Patients Given Aspirin at Discharge

Page 4 of 12 05/30/2011

	submitting data:
Pneumonia	National Average of Hospitals submitting data:
Heart Failure	National Average of Hospitals submitting data:
Heart Failure	National Average of Hospitals submitting data:
Heart Failure	National Average of Hospitals submitting data:
Heart Failure	National Average of Hospitals submitting data:
Heart Attack or Chest Pain	National Average of Hospitals submitting data:
Heart Attack or Chest Pain	National Average of Hospitals submitting data:
Heart Attack or Chest Pain	National Average of Hospitals submitting data:
Heart Attack or Chest Pain	National Average of Hospitals submitting data:
Heart Attack or Chest Pain	National Average of Hospitals submitting data:
Heart Attack or Chest Pain	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Attack or Chest Pain	Top 10% of Hospitals submitting data scored equal to or higher than

Page 5 of 12 05/30/2011

91
88
98
94
98
61
8
54
95
29
100
100

Page 6 of 12 05/30/2011

Heart Attack Patients Given ACE Inhibitor or ARB for Left Ventricular Systolic Dysfunction (LVSD)

Heart Attack Patients Given Smoking Cessation Advice/Counseling

Heart Attack Patients Given Beta Blocker at Discharge

Heart Attack Patients Given Fibrinolytic Medication Within 30 Minutes Of Arrival

Heart Attack Patients Given PCI Within 90 Minutes Of Arrival

Pneumonia Patients Assessed and Given Pneumococcal Vaccination

Pneumonia Patients Whose Initial Emergency Room Blood Culture Was Performed Prior To The Administration Of The First Hospital Dose Of Antibiotics

Pneumonia Patients Given Smoking Cessation Advice/Counseling

Pneumonia Patients Given Initial Antibiotic(s) within 6 Hours After Arrival

Pneumonia Patients Given the Most Appropriate Initial Antibiotic(s)

Pneumonia Patients Assessed and Given Influenza Vaccination

Heart Failure Patients Given Discharge Instructions

Heart Failure Patients Given an Evaluation of Left Ventricular Systolic (LVS) Function

Page 7 of 12 05/30/2011

Heart Attack or Chest Pain	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Attack or Chest Pain	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Attack or Chest Pain	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Attack or Chest Pain	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Attack or Chest Pain	Top 10% of Hospitals submitting data scored equal to or higher than
Pneumonia	Top 10% of Hospitals submitting data scored equal to or higher than
Pneumonia	Top 10% of Hospitals submitting data scored equal to or higher than
Pneumonia	Top 10% of Hospitals submitting data scored equal to or higher than
Pneumonia	Top 10% of Hospitals submitting data scored equal to or higher than
Pneumonia	Top 10% of Hospitals submitting data scored equal to or higher than
Pneumonia	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Failure	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Failure	Top 10% of Hospitals submitting data

Page 8 of 12 05/30/2011

> Page 9 of 12 05/30/2011

Process of Care National Averages

Based on Hospital Process of Care Measures - National Average

Heart Failure Patients Given ACE Inhibitor or ARB for Left Ventricular Systolic Dysfunction (LVSD)

Heart Failure Patients Given Smoking Cessation Advice/Counseling

Average number of minutes before outpatients with chest pain or possible heart attack who needed specialized care were transferred to another hospital (a lower number of minutes is better)

Average number of minutes before outpatients with chest pain or possible heart attack got an ECG (a lower number of minutes is better)

Outpatients with chest pain or possible heart attack who got drugs to break up blood clots within 30 minutes of arrival (higher numbers are better)

Outpatients with chest pain or possible heart attack who got aspirin within 24 hours of arrival (higher numbers are better)

Median Time to Fibrinolysis

Page 10 of 12 05/30/2011

	scored equal to or higher than
Heart Failure	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Failure	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Attack or Chest Pain	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Attack or Chest Pain	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Attack or Chest Pain	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Attack or Chest Pain	Top 10% of Hospitals submitting data scored equal to or higher than
Heart Attack or Chest Pain	Top 10% of Hospitals submitting data scored equal to or higher than

Page 11 of 12 05/30/2011

100
100
40
3
100
100
20

Page 12 of 12 05/30/2011